
Model 205

	Service A	
	Service B	
	Plus package	(40)
	For every service (equipment specific)	
	Every 20,000 mi/2 years	
	Service 3 every service	
	Service 4 Every 2 years	
	Service 8 every 30,000 mi/3 years	
	Service 8 every 50,000 mi/5 years	
	Service 10 every 30,000 mi/3 years	
	Service 11 every 50,000 mi/5 years	
	Service 11 every 120,000 mi/12 years	
	Service 12 every 50,000 mi/5 years	
	Service 13 every 120,000 mi/12 years	
	Service 15 At every Service B	
	Service 20 once at 30,000 mi/3 years	
	Service 20 every 30,000 mi/3 years	
	Service 20 every 60,000 mi/6 years	
	Service 20 every 60,000 mi	
Custom	ner	Order number
Juston		Craci number
VIN/lice	ense plate number	Current mileage



P00.20-2760-11

Service code	vvorksnop code	
Remaining distance	Remaining time	
Oil type/viscosity	Completion time/date	
Service consultation performed at vehicle	Yes	No
Notes/explanations		
The following activities are hereby confirmed: - Completion of relevant service operations		
Signature		

Input condition not OK:

 \otimes

Service reception

The reception report for service on the vehicle is available in completed form.

Α

Completed \times

В

 \times

		i To be performed by the Service Advisor (where market-specific conditions require). Fully process all acceptance items		AP00.20-P-0009Z
		and the maintenance items listed in the service sheet, only then is the service scope completely performed.		
	Brake system Perform brake test and enter result in table.		0	
				AP42.00-P-4290BA
	Vehicle exterior Check exterior lighting for proper operation.		0	
П	Check function of headlamp range		\circ	AP82.10-P-8252EW
		Vehicles with dynamic LED headlamps or with the headlamp range adjuster on the exterior lights switch.		
	Check and correct headlamp adjustment.		0	AP82.10-P-8250EW
		The adjustment of headlamps on vehicles with level control system or dynamic LED headlamps is to be invoiced as an additional operation.		AP82.10-P-8260E
		Model 205.013/047/053/054/147/213/247/2 53	0	
	With the control of t			AP54.10-P-5458B
	Vehicle interior Check windshield wipers, windshield washer system for proper operation.		0	
	Check starter.		0	AP82.30-P-8252CAA
	Replace activated charcoal particle filter.	Model 205.012/047/147/212/247		AP15.30-P-1550AA
				AP83.00-P-8384CAA
	Engine compartment Brake system: Check fluid level.		0	
	Check air flap in engine compartment.		0	AP42.10-P-4210CAA
	Check low-temperature circuit coolant level.	Engine 177	\cap	AP20.00-P-2052B
		Engine 177	0	AP20.30-P-2052F
		Engine 264 Engine 274 Engine 276.8		AP20.30-P-2052C AP20.30-P-2052L AP20.30-P-2052H
	Check coolant level in high-voltage battery circuit.	Engine 651	0	AP20.30-P-2052N
		Engine 274 in model 205.047/053/054/147/247/253		AP08.50-P-2053C
	Check all visible parts in engine compartment for damage and fluid loss.	Engine 654 in model 205.013/213	0	AP08.50-P-2053E
	Check poly-V-belt in visible area for signs o wear.	f	0	AP00.20-P-0055C
		Engine 264, 276, 626, 651, 654, engine 274 in model 205 (except 205.047/053/054/147/247/253)		AP13.22-P-1352EW
	Underside of vehicle Check visible area of poly-V-belts for wear.		0	

	Check all visible parts of vehicle underside for damage and fluid loss.	Engine 177	0	AP13.22-P-1352D
		i The country-specific regulations for mobility and body shell		AP00.20-P-0054E
	Check condition of steering and tie rods.	complaints apply.	0	
	Check condition of front axle and front axle joints.		0	AP46.00-P-4651A
	Check condition of propeller shaft and flex disks.		0	AP33.10-P-3358A
	Check condition of rear axle and rear axle ball joints.		0	AP41.10-P-4152EW
П	Check condition of suspension struts or		0	AP35.20-P-3552A
	shock absorbers and springs. Check tires for damage and crack		\bigcirc	AP32.25-P-3255A
	formation, and enter result in table.			AP40.10-P-4051EW
	Tires Plus package Correct tire pressure and enter set tire pressure in table.		0	
	Trunk			AP40.15-P-4061A
	Plus package Check/correct spare wheel tire pressure and enter set tire pressure in table.	dVehicles with spare wheel.	0	
				AP40.15-P-4061A
	Check TIREFIT tire sealant.	Vehicles with TIREFIT.	0	
		i Enter expiration date here:		AP40.10-P-4054R
		Replace TIREFIT, invoice as additional operation.		
	Check first-aid kit (soft sided).		0	
		i Enter expiration date here:		AP68.00-P-6850EW
		Replace first aid bag, invoice as an additional operation.		
	Check trunk lighting for proper operation.		0	
	Engine compartment Plus package Windshield washer system: Check/correct fluid level.			
		When using cleaning compounds for summer/winter, and depending on the ambient temperature, observe the mixing ratio.		AP82.35-P-8210CAA
	Vehicle interior Plus package Check lamps in instrument cluster and interior lighting for proper operation.		0	AP54.30-P-5453CAA
	Vehicle interior For every service (equipment specific)			7.1 0 7.00 1 OTOOOM
	Check ex-factory driving aids.		0	

			With driving aids ex factory	AP86.20-P-8649U
П	П	Fill up or replace vial of perfume atomizer.		
]			After consultation with customer. Model 205 (except 205.4) with code P21 (Air quality package)	AP83.10-P-0100A
		Replace battery for KEYLESS-GO key.		
			After consultation with customer. With code 889 (KEYLESS-GO) or with code 893 (KEYLESS-GO start function)	
		External refueling For every service (equipment specific)		
		AdBlue® container: Top up fluid level.		
			After consultation with customer. With code U42 (BlueTEC (SCR) diesel exhaust treatment) or with code U77 (BLUETEC (SCR) diesel exhaust treatment) or with CODE U79 (BLUETEC (SCR) Generation 3 diesel exhaust treatment)	AP14.40-P-1410BT
		Engine compartment Every 20,000 mi/2 years		
		Replace dust filter.		
				AP83.00-P-8381B
		Engine compartment Service 3 every service		
		Engine: Change oil and oil filter.		
			Engine 177 Engine 264 with code M005 (4MATIC)	AP18.00-P-0101D AP18.00-P-0101E
			Engine 264 except code M005 (4MATIC)	AP18.00-P-0101EE
			Engine 274.910, engine 274.920 except code M005 (4MATIC)	AP18.00-P-0101CWI
			Engine 274.920 with code M005 (4MATIC)	AP18.00-P-0101CWE
			Engine 276 Engine 626	AP18.00-P-0101CWZ
			Engine 651	AP18.00-P-0101B AP18.00-P-0101CWB
		Funding comments	Engine 654	AP18.00-P-0101FA
		Engine compartment Service 4 Every 2 years		
		Brake system: Replace brake fluid.		
		Engine compartment		AP42.00-P-4280EW
		Service 8 every 30,000 mi/3 years		
		Replace air filter element.		
		Underside of vehicle	Engine 177	AP09.10-P-0980I
		Service 8 every 30,000 mi/3 years		
		Rear axle: Change oil.		
			With code 467 (Electronic locking differential) or with code 471 (Mechanical locking differential)	AP35.00-P-3501CMG
		Engine compartment Service 8 every 50,000 ml/5 years		
		Replace air filter element.		
]]		Engine 264	AP09.10-P-0980EWO
			Engine 274	AP09.10-P-0980CWG
			Engine 276	AP09.10-P-0980E
			Engine 626 Engine 651	AP09.10-P-0980F AP09.10-P-0980EWD
			Engine 654	AP09.10-P-0980EWD AP09.10-P-0980R

				-
		Vehicle interior Service 10 every 30,000 mi/3 years		
		Panoramic sliding sunroof: Clean and		
		lubricate guide mechanism.		
			With code 413 (Panoramic sliding	AP77.20-P-7732CW
			sunroof)	7
		Engine compartment		
		Service 11 every 50,000 mi/5 years		
		Replace fuel filter.		
			Engine 651	AP47.20-P-0780EWD
		Underside of vehicle	Eligille 03 i	AF47.20-F-0760EWD
		Service 11 every 50,000 mi/5 years		
		Replace fuel filter.		
ш	Ш	·		
			Engine 626	AP47.20-P-0780A
			Engine 654	AP47.20-P-0780F
		Vehicle interior		
		Service 11 every 120,000 mi/12 years		
		Replace fuel filter.		
			Engine 177, 264, 274.9, 276.8	AP47.20-P-0780M
		Engine compartment	3 , , , , ,	7 11 . <u></u> 20 01 00
		Service 12 every 50,000 mi/5 years		
	П	Replace spark plugs.		
			Engine 177	AP15.10-P-1580C
			Engine 264	AP15.10-P-1580MCU
			Engine 274	AP15.10-P-1580CWF
		Hadanida afaabida	Engine 276	AP15.10-P-1580D
		Underside of vehicle Service 13 every 120,000 mi/12 years		
_		Replace coolant in main circuit.		
ΙШ	Ш	. topiaco cociant in main circuit		
			Engine 177, 264, 274, 276.8, 626,	AP20.00-P-2082K
			651, 654	
Ш		Replace low-temperature circuit coolant.		
			Engine 177	AP20.00-P-2083C
			Engine 264	AP20.00-P-2083K
			Engine 274	AP20.00-P-2083E
			Engine 276.8	AP20.00-P-2083I
			Engine 651	AP20.00-P-2083G
		Vehicle exterior		
		Service 15 At every Service B		
		Trailer hitch: Check condition and operation	1.	0
			With code 550 (Trailer hitch)	AP31.11-P-3152CW
		Underside of vehicle	With code 550 (Trailer Titteri)	AI 01.11-1 -01020W
		Service 20 once at 30,000 mi/3 years		
		Automatic transmission: Change oil and oil		
ш	Ш	filter.		
			Transmission 722.930	AP27.00-P-2702W
		Underside of vehicle		
		Service 20 every 30,000 mi/3 years		ļ
		Automatic transmission: Change oil and oil filter.		
		inco.	Transmission 725.066	AP27.00-P-2702B
		Underside of vehicle	2.2	74 27.00-1 -27020
		Service 20 every 60,000 mi/6 years		
		Automatic transmission: Change oil and oil		j
		filter.		
			Transmission 722.9 (except	AP27.00-P-2702W
			722.930) Transmission 724.2	AD27 OO D 2702A
			Transmission 724.2 Transmission 725.0 (except	AP27.00-P-2702A AP27.00-P-2702B
			725.066) except code M005	AFZ1.00-F-2102B
			(4MATIĆ) up to model year 2016	
		Automatic transmission and transfer case:		
		Change oil and automatic transmission oil filter.		
		·	Transmission 725.0 with code M005	
			(4MATIC) up to model year 2016	
	r AG, 9/25	/25, L/09/19, ap00.20-p-1240ca, OVERVIEW for service sheet, USA		Page 5 of 6

		Automatic transmission	AP27.00-P-2702B
		Transfer case	AP28.00-P-2801A
	Underside of vehicle Service 20 every 60,000 mi		
	Automatic transmission: Change oil and oil filter.		
		Transmission 725.0 (except 725.017/066) except code M005 (4MATIC) as of model year 2017	AP27.00-P-2702B
		Transmission 725.017	AP27.00-P-2702BE
	Automatic transmission and transfer case: Change oil and automatic transmission oil filter.		
		Transmission 725.0 with code M005 (4MATIC) as of model year 2017	
		Automatic transmission	AP27.00-P-2702B
		Transfer case	ΔP28 00-P-2801Δ

Brake values

	Left	Right
Front		
Rear		
Parking brake		

Tire condition

	Right front	Left front	Right rear	Left rear
Condition OK.				
Condition not OK.				

Set tire pressure in bar or psi

	Front axle	Rear axle	Spare wheel
bar/psi			